




# TOUCHONE

RESERVATION SYSTEM




# TOUCHONE

The touchONE reservation system is a complete multilingual room & desk reservation solution for company workplaces, boardrooms, conference rooms, lecture rooms, auditoriums, classrooms, universities, hotels, sports centres and other meeting places as well as large corporate installations.

The stability and scalability of the whole system enables using from one to hundreds of touch panels which can be interconnected with the calendar server.


No expert knowledge is necessary as the installation is plug & play.

The touchONE is a completely proprietary hardware and software solution designed to work 24/7 and fulfilling latest security needs.





## TCP/IP Network



# MAIN COMPONENTS

Overview display



Room, desk and event overview for the entrance area, reception or lobby. It offers modern design summary displayed on a large screen display.

Interactive kiosk



User-friendly touch screen offers floor plans, reservation status indication as well as searching for rooms and workplaces according to different criteria.

Reservation panels




Plug & play interactive panels with intuitive user interface. Modern slim design based on aluminium body allows built-in or on-wall installation.

Desk interface



The interface offers simple indication of desk status by green / red indicator and it allows to reserve or leave desk using appropriate button.

# SOLUTIONS



## In front of the room

### Interactive reservation panels

- Plug & play solution with intuitive user interface
- Various user interface graphics
- Modern slim design, aluminium touch-panel body
- 7", 10" and 12" panels, built-in or on-wall installation



## In the reception or lobby

### Room, desk & event overview

- Plug & play solution
- Summary of all rooms, desks and meetings
- Various layouts incl. timeline
- Compatible with any display with HDMI input



## Mobile application

### Simple reservation from mobile device


- Personalized room or desk reservation
- Room or desk identified by QR code
- QR code displayed on a reservation panel or desk interface
- Available for Apple iOS and for Google Android



## Reservation software

### Powerful solution for room reservation

- Enhance booking via MS Office 365 and MS Exchange
- Search and book rooms according to different criteria
- Additional fields to add booking details
- Intuitive web user interface



## Room occupancy monitoring

### Occupancy sensor integration

- People presence indicated on reservation panel
- Automated meeting confirmation
- Possible to cancel meeting when nobody is present
- Various sensor types connected through controller



## Multilingual user interface

### Many languages available

- Default language defined during setup
- Language changeable by user
- Automatic return to default language
- Other languages on demand

# SOLUTIONS



## Workplace booking

Solution for effective workplace usage

- Enables to implement a flexible working environment
- Reservation from calendar system and mobile device
- Simple indication of workplace status
- Reservation statistics for more efficient desk usage



## Interactive kiosk

Immediate access to room & desk reservation

- Floor plans for better orientation
- Room and workplace status indication
- Search for rooms & workplaces by different criteria
- Simple way-finding support



## Catering request & room issue report

Simple way to communicate with services

- Catering request sent directly from reservation panel
- Requests for cleaning service available
- Requests for AV/IT and facility support available
- Requests for room equipment support available



## Analytics & statistics

Understanding your space needs


- Reservation statistics & analysis for higher efficiency
- No software installation
- Built-in simple data visualization
- Data export for using in Power BI, Excel, etc.



## Room control integration

Simple integration with Cue System

- Meeting information displayed on a control panel
- Extending and finishing meeting from control panel
- Automatically turning devices on and off depending on the room status



## Central administration

System administration via web interface

- General setup, room and unit configuration, etc.
- On-premises plug & play solution
- No software installation
- Intuitive web user interface

# SPECIFICATIONS

## ROOM RESERVATION PANELS



touchONE-7-M



touchONE-10-M



touchONE-12-M

Product code	CS0528	CS0563	CS0529
Display	7" (177.8 mm) diagonal, color LCD, LED backlight	10.1" (256.5 mm) diagonal, color LCD, LED backlight	12.1" (307.3 mm) diagonal, color LCD, LED backlight
Resolution	1280 x 800 pixels	1280 x 800 pixels	1280 x 800 pixels
Viewing angle	160° horizontal, 160° vertical	170° horizontal, 170° vertical	160° horizontal, 160° vertical
Touch technology	Projected capacitive	Projected capacitive	Projected capacitive
Sensors	Light and proximity	Light and proximity	Light and proximity
LED indicators	Green for free room, red for occupied room	Green for free room, red for occupied room	Green for free room, red for occupied room
Network	Wired 10/100 BaseT Ethernet, 802.1X and Proxy server support	Wired 10/100 BaseT Ethernet, 802.1X and Proxy server support	Wired 10/100 BaseT Ethernet, 802.1X and Proxy server support
Power supply	PoE, IEEE 802.3af / Class 0	PoE, IEEE 802.3af / Class 0	PoE+, IEEE 802.3at / Class 4
Enclosure	Aluminium, edge-to-edge front glass, protection IP30	Aluminium, edge-to-edge front glass, protection IP30	Aluminium, edge-to-edge front glass, protection IP30
Installation	On-wall, e.g. glass wall, no wall drilling or cutting needed Recommended height 150 cm	On-wall, e.g. glass wall, no wall drilling or cutting needed Recommended height 150 cm	On-wall, e.g. glass wall, no wall drilling or cutting needed Recommended height 150 cm
Dimensions	199 x 120 x 23 mm	268 x 167 x 25 mm	320 x 200 x 32 mm
Weight	0.8 kg	1.1kg	2.2 kg
Available extension	NFC Module   CS0579	NFC Module   CS0579	-

## ROOM & WORKPLACE OVERVIEW



touchONE-overview

## ADMINISTRATION & ANALYTICS



touchONE-manager


## DESK INTERFACE CONCENTRATOR



touchONE-concentrator

Product code	CS0510	CS0537	CS0571
Display type	HDMI output for display connection	HDMI output, displays current IP settings only	HDMI output, displays current IP settings only
Resolution	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels
Network	Wired 10/100 BaseT Ethernet, 802.1X and Proxy server support	Wired 10/100 BaseT Ethernet, 802.1X and Proxy server support	Wired 10/100 BaseT Ethernet, 802.1X and Proxy server support
Power supply	5 VDC, power input jack	5 VDC, power input jack	5 VDC, power input jack
Enclosure	Metal chassis, fanless and slim design	Metal chassis, fanless and slim design	Metal chassis, fanless and slim design
Dimensions	118 x 101 x 24 mm	118 x 101 x 24 mm	118 x 101 x 24 mm
Weight	0.3 kg	0.3 kg	0.3 kg

## NFC MODULE



NFC Module

Product code	CS0579
Compatibility	Norm ISO 14443A, 13.56 MHz reader touchONE-7-M HW rev. R09 and higher touchONE-10-M
Extension for	Check product cut sheets for details
Enclosure	Plastic
Dimensions	84 x 16 x 6 mm when installed
Weight	15 g
Note	This module will allow the panels to be ready for use of NFC technology. Ask for software support availability.

## RESERVATION INTERFACE



touchONE-desk-55

Product code	CS0556
Status indicator	Green for free desk, red for occupied desk
Custom label	Desk identification QR code for reservation using mobile app
Buttons	Reserve desk, Leave desk
Network	Wired 10/100 BaseT Ethernet
Power supply	PoE, IEEE 802.3af / Class 0
Enclosure	Aluminium, protection IP30
Installation	Tabletop or under desk holder Cable interconnection box Standard electrical box
Dimensions	55 x 55 x 12 mm when installed
Weight	0.1 kg
Available accessories	touchONE-desk-sensor   CS0566 For mounting options see product cut sheet

## OCCUPANCY SENSOR



touchONE-desk-sensor

Product code	CS0566
Description	The occupancy sensor monitors the use of the workplace. It is connected to a desk reservation interface touchONE-desk-55 and provides valuable information how the workplace is used.
Power supply	From touchONE-desk-55
Enclosure	Plastic
Installation	Under workplace desk
Dimensions	65 x 47 x 27 mm
Weight	50 g

## RESERVATION APP



touchONE-app

Product code	CS0554
Description	Room or desk personalized reservation from a mobile device. Rooms and desks are identified by QR code.
Operating systems	Apple iOS 8.0 or higher Android 4.1 or higher
Available	From Apple AppStore for Apple iOS From Google Play for Android

## SENSOR INTEGRATION



touchONE-sensor-app

Product code	CS0551
Description	Ready made XPL <sup>2</sup> application for occupancy sensor integration using controlCUE-versatile (-d) or smartCUE-versatile (-d). Sensors with dry contact output are connected to versatile ports. Easy web setup.
Available	From www.touchone.eu

## CONTROL INTEGRATION



touchONE-control-widget

Product code	CS0582
Description	Cue Visual Composer widget allowing touchONE integration with room control system. The widget includes communication applet and reservation screen for room control touch panel where many reservation functions are available.
Available	Part of Cue Visual Composer